

# TURCK

## Network Media Products

### DeviceNet™, minifast® Field Wireable Connectors

- Allows for Quick Connection when Pre-Molded Cables not Available
- Available for Male and Female Connectors
- Color Coded Wire Connections for DeviceNet



Housing	Part Number	Housing Specs.	Application	Pinouts
	<b>BS 4151-0/9/DNET</b>	Glass filled nylon PG 9 cable gland accepts 6-8 mm cable diameter Screw terminals 85°C 250 V, 9 A	Mates with all 5-pin cordsets and receptacles	<b>Male</b> 
	<b>BS 4151-0/13.5/DNET</b>	Glass filled nylon PG 13.5 cable gland accepts 10-12 mm cable diameter Screw terminals 85°C 250 V, 9 A		
	<b>B 4151-0/9/DNET</b>	Glass filled nylon PG 9 cable gland accepts 6-8 mm cable diameter Screw terminals 85°C 250 V, 9 A		<b>Female</b> 
	<b>B 4151-0/13.5/DNET</b>	Glass filled nylon PG 13.5 cable gland accepts 10-12 mm cable diameter Screw terminals 85°C 250 V, 9 A		

DeviceNet™, eurofast® Field Wireable Connectors

- Allows for Quick Connection when Pre-Molded Cables not Available
- Available for Male and Female Connectors in Straight or Right-Angle Configurations
- Color Coded Wire Connections for DeviceNet



Housing	Part Number	Housing Specs.	Application	Pinouts
	<b>B 8251-0/PG9/DNET</b>	PBT, Black PG 9 cable gland accepts 4-8 mm cable diameter Screw terminals 85°C 125 V, 4 A	Mates with 5-pin cordsets and receptacles	<b>Male</b> 
	<b>BS 8251-0/PG9/DNET</b>	PBT, Black PG 9 cable gland accepts 4-8 mm cable diameter Screw terminals 85°C 125 V, 4 A		<b>Female</b> 
	<b>B 8151-0/PG9/DNET</b>	PBT, Black PG 9 cable gland accepts 4-8 mm cable diameter Screw terminals 85°C 250 V, 4 A		
	<b>BS 8151-0/PG9/DNET</b>	PBT, Black PG 9 cable gland accepts 4-8 mm cable diameter Screw terminals 85°C 250 V, 4 A		