




# QuickPanel Migration Guide Plus PanelStation and GP Product Cross Reference

## PanelStation™



## GP Products



## QuickPanel Migration Guide Plus PanelStation and GP Product Cross Reference

**Cross Reference Notes:** This Document contains both active and discontinued Pro-face Products.

The PanelStation and GP models are identically available products.

Codes: Y = Yes      D = Discontinued but may be in Stock  
N = No      A = Active and Available

### Main Product Line Cross Reference:

GP Model Number	GP PRO C-Pack 02 Supported	Pro-designer Supported	Panel Station Model Number	QD 3.7 Supported	Product Status	Product Description
GP230-LG11-24V	N	N	QPJ-1D100-L2P	N	D	
GP230-SC11-24V	N	N	QPJ-1D100-S2P	N	D	
GP270-LG11-24V	Y	N		Y	A	4.7" Monochrome LCD
GP270-LG21-24VP	Y	N	QPJ-2D101-L2P	Y	A	4.7" Monochrome LCD (CE)
GP270-LG31-24V	Y	N	QPJ-2D100-L2P	Y	A	4.7" Monochrome LCD TCP (UL/c-UL)
GP270-SC11-24V	Y	N		Y	A	4.7" STN Color
GP270-SC21-24VP	Y	N	QPJ-2D101-S2P	Y	A	4.7" STN Color (CE)
GP270-SC31-24V	Y	N	QPJ-2D100-S2P	Y	A	4.7" STN Color (UL/c-UL)
GP320-LG11	N	N	HMI-L2P	N	D	7" Monochrome with function Keys
GP370-LG11-24V	Y	N		Y	D	5.7" Monochrome LCD
GP370-LG21-24VP	Y	N	QPK-2D101-L2P	Y	D	5.7" Monochrome LCD
GP370-LG31-24V	Y	N	QPK-2D100-L2P	Y	D	5.7" Monochrome LCD
GP370-LG41-24VP	Y	N		Y	D	5.7" Monochrome LCD
GP370-SC11-24V	Y	N		Y	D	5.7" STN Color LCD
GP370-SC21-24VP	Y	N	QPK-2D101S2P	Y	D	5.7" STN Color LCD
GP370-SC31-24V	Y	N	QPK-2D100-S2P	Y	D	5.7" STN Color LCD
GP370-SC41-24VP	Y	N		Y	D	5.7" STN Color LCD
GP377-LG11-24V	Y	N		Y	D	5.7" Monochrome LCD, 100MHz
GP377-LG41-24V	Y	N	QPK-3D200-L2P	Y	A	5.7" Monochrome LCD, 100MHz (CE/UL/c-UL)
GP377-SC11-24V	Y	N		Y	D	5.7" STN Color, 100MHz
GP377-SC41-24V	Y	N	QPK-3D200-S2P	Y	A	5.7" STN Color, 100MHz (CE/UL/c-UL)
GP377R-TC11-24V	Y	N		Y	A	5.7" TFT Color, 100MHz
GP377R-TC41-24VP	Y	N	QPK-3D200-C2P	Y	A	5.7" TFT Color, 100MHz (CE/UL/c-UL)
GP37W-LG11-24V	N	N		Y	D	
GP37W-LG41-24VP	N	N	QPM-2D100-L2P	Y	D	5.7" Low Cost Monochrome LCD
GP37W2-BG41-24V	Y	N	QPM-3D200-B2P	Y	A	5.7" Low Cost Blue Mode LCD (CE/UL/c-UL)
GP37W3-BG11-24V	N	Y			A	5.7" Low Cost Blue Mode LCD (CE/UL/c-UL) expanded memory for Prodesigner
GP410-EG11	N	N	HMI-A2P	N	D	
GP430-EG11	N	N	SPS211-A2P	N	D	
GP450-EG11	N	N	QPI-11100-E2P	N	D	
GP470-EG11	Y	N	QPI-21100-E2P	Y	D	8.9" High Intensity EL
GP470-EG21-24VP	Y	N	QPI-2D100-E2P	Y	D	8.9" High Intensity EL (CE)
GP470-EG31-24V	Y	N	QPI-2D100-E2P	Y	D	8.9" High Intensity EL (UL/cUL)
GP477R-EG11	Y	N	QPI-31200-E2P	Y	A	8.9" High Intensity EL, 100MHz
GP477R-EG41-24VP	Y	N	QPI-3D200-E2P	Y	A	8.9" High Intensity EL, 100MHz (CE/UL/c-UL)
GP510-TC11	N	N	HMI-C2P	N	D	
GP550-SC11	N	N	QPI-11100-S2P	N	D	
GP550-TC11	N	N	QPI-11100-C2P	N	D	



# QuickPanel Migration Guide Plus PanelStation and GP Product Cross Reference

**Cross Reference Notes:** This Document contains both active and discontinued Pro-face Products. The PanelStation and GP models are identical available products.

Codes: Y = Yes      D = Discontinued but may be in Stock  
N = No      A = Active and Available

## Main Product Line Cross Reference (Continued):

GP Model Number	GP PRO C-Pack 02 Supported	Pro-designer Supported	Panel Station Model Number	QD 3.7 Supported	Product Status	Product Description
GP570-BG11-24V		N		N	D	
GP570-LG21-24V	Y	N	QPI-2D100-L2P	Y	D	10.4" Monochrome LCD (CE)
GP570-SC11		N	QPI-21100-S2P	Y	D	10.4" STN Color
GP570-SC21-24VP		N	QPI-2D101-S2P	Y	D	10.4" STN Color (CE only)
GP570-SC31-24V		N	QPI-2D100-S2P	Y	D	10.4" STN Color (UL/cUL)
GP570-TC11		N	QPI-21100-C2P	Y	D	10.4" TFT Color LCD
GP570-TC21-24VP		N	QPI-2D101-C2P	Y	D	10.4" TFT Color LCD (CE only)
GP570-TC31-24V		N	QPI-2D100-C2P	Y	D	10.4" TFT Color LCD (UL,cUL only)
GP570-TV11		N	QPI-211V0-C2P	Y	D	10.4" TFT Color LCD
GP571-TC11	Y	N		N	D	10.4" TFT Color LCD
GP577R-SC11	Y	N	QPI-31200-S2P	Y	A	10.4" STN Color, 100MHz
GP577R-SC41-24VP	Y	N	QPI-3D200-S2P	Y	A	10.4" STN Color, 100MHz (CE/UL/c-UL)
GP577R-TC11	Y	N	QPI-31200-C2P	Y	A	10.4" TFT Color, 100MHz
GP577R-TC41-24VP	Y	N	QPI-3D200-C2P	Y	A	10.4" TFT Color, 100MHz (CE/UL/c-UL)
GP675-SC11	Y	N			D	12" STN Color LCD
GP675-TC11	Y	N	QPL-21100-C2P	Y	D	12" TFT Color
GP675-TC41-24VP	Y	N	QPL-2D200-C2P	Y	D	12" TFT Color (CE/UL/cUL)
GPH70-LG11-24V	Y	N			D	Handy Type GP 5.7" Monochrome LCD (CE/UL/c-UL)
GPH70-LG41-24VP	Y	N	QPH-2D100-L2P	Y	D	Handy Type GP 5.7" Monochrome LCD (CE/UL/c-UL)
GPH70-SC11-24V	Y	N		Y	D	Handy Type GP 5.7" STN Color (CE/UL/c-UL)
GPH70-SC41-24VP	Y	N	QPH-2D100-S2P	Y	D	Handy Type GP 5.7" STN Color (CE/UL/c-UL)
GP2300-LG41-24V	Y	Y		N	A	5.7" Monochrome LCD (CE/UL/c-UL)
GP2300-TC41-24V	Y	Y	QPK-CTDE-0000	Y	A	5.7" TFT Color (CE/UL/c-UL)
GP2301-LG41-24V	Y	Y		N	A	5.7" Monochrome LCD, Low End Model (CE/UL/c-UL)
GP2301-SC41-24V	Y	Y	QPK-STDN-0000	Y	A	5.7" STN Color, Low End Model (CE/UL/c-UL)
GP2301-TC41-24V		Y		N	A	5.7" TFT Color (CE/UL/c-UL)
GP2301H-LG41-24V	Y	Y		N	A	Handy Type GP 5.7" Monochrome LCD (CE/UL/c-UL)
GP2301H-SC41-24V	Y	Y		N	A	Handy Type GP 5.7" STN Color (CE/UL/c-UL)
GP2400-TC41-24V	Y	Y	QPG-CTDE-0000	Y	A	7.4" TFT Color (VGA) (CE/UL/c-UL)
GP2401-TC41-24V		Y		N	A	7.4" TFT Color (VGA) (CE/UL/c-UL)
GP2401H-TC41-24V	Y	Y		N	A	Handy Type GP 6.5" TFT Color (VGA) (CE/UL/c-UL)

## Main Product Line Cross Reference (Continued):

GP Model Number	GP PRO C-Pack 02 Supported	Pro-designer Supported	Panel Station Model Number	QD 3.7 Supported	Product Status	Product Description
GP2500-LG41-24V	Y	Y		N	A	10.4" Monochrome LCD (VGA) (CE/UL/c-UL)
GP2500-SC41-24V	Y	Y		N	A	10.4" STN Color (VGA) (CE/UL/c-UL)
GP2500-TC11	Y	Y	QPI-CTAE-0000	Y	A	10.4" TFT Color (VGA)
GP2500-TC41-24V	Y	Y	QPI-CTDE-0000	Y	A	10.4" TFT Color (VGA) (CE/UL/c-UL)
GP2501-SC11	Y	Y		N	New	10.4" STN Color (VGA),
GP2501-TC11	Y	Y		N	New	10.4" TFT Color (VGA),
GP2600-TC11	Y	Y	QPL-CTAE-0000	Y	A	12.1" TFT Color (SVGA)
GP2600-TC41-24V	Y	Y	QPL-CTDE-0000	Y	A	12.1" TFT Color (SVGA) (CE/UL/c-UL)
GP2601-TC11		Y			A	12.1" TFT Color (SVGA)

## Available QuickStart Kits

QuickStart Kits Model Number	Base Model	Software Supplied	Cables Supplied	Power Supply
QSM-3D200-B2P	QPM-3D200-B2P Blue Mode LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply
QSJ-2D100-L2P	QPJ-2D100-L2P 5" Mono LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply
QSJ-2D100-S2P	QPJ-2D100-S2P 5" Color STN	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply
QSK-3D200-L2P	QPK-3D200-L2P 6" Mono LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply
QSK-3D200-S2P	QPK-3D200-S2P 6" Color STN	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply
QSK-3D200-C2P	QPK-3D200-S2P 6" Color TFT	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply
QSI-31200-E2P	QPI-31200-E2P 9" EL Amber LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	120VAC Line Cord
QSI-2D100-L2P	QPI-2D100-L2P 10.4" Mono LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply
QSI-31200-S2P	QPI-31200-S2P 10.4" Color STN LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	120VAC Line Cord
QSI-31200-C2P	QPI-31200-C2P 10.4" Color TFT LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	120VAC Line Cord
QSL-CTDE-0000	QPL-CTDE-0000 12.1" Color TFT LCD	QuickDesigner 3.7	Download Cable GPW-CB02 One Customer Specified PLC cable	24VDC power Supply



# QuickPanel Migration Guide Plus PanelStation and GP Product Cross Reference

**Migration Path Notes:** This Document contains both active and discontinued QuickPanel Products. The migration path shown for the QuickPanel model number uses the latest released PanelStation product in the size class. If the QuickPanel and PanelStation model numbers are the same then this indicates currently available product – no replacement needed. The model description applies to the PanelStation and GP models since they are always identical hardware products. If the Quick Panel model number does not match the PanelStation model number, then the model description does not apply to the QuickPanel model number.

## 12.1” QuickPanel Migration Guide

QuickPanel Model Number	PanelStation Model Replacement	QD 3.7 / GP-PRO C02 Supported?	GP Model Replacement	ProDesigner V40 Support?	GP Pro C02 Support?	Replacement PanelStation and GP Model Description (Older QuickPanel Model Description/Specifications may be different)
QPL-21100-C2P	QPL-CTAE-0000	Y	GP2600-TC11	Y	Y	12.1” TFT LCD Ethernet port, CFlash, 4MB memory, 120VAC
QPL-2D100-C2P	QPL-CTDE-0000	Y	GP2600-TC41-24V	Y	Y	12.1” TFT LCD Ethernet port, CFlash, 4MB memory, 24VDC, ULI604, CE

## 10.4” QuickPanel Migration Guide

QuickPanel Model Number	PanelStation Model Replacement	QD 3.7 / GP-PRO C02 Supported?	GP Model Replacement	ProDesigner V40 Support?	GP Pro C02 Support?	Replacement PanelStation and GP Model Description (Older QuickPanel Model Description/Specifications may be different)
QPI-2D100-L2P	Not Available	–	GP2500-LG41-24V	Y	Y	10.4” Monochrome LCD Ethernet port, CFlash, 4MB memory, 24VDC, ULI604, CE
QPI-21100-S2P	QPI-31200-S2P	Y	GP577R-SC11	N	Y	10.4” STN Color LCD, 2MB memory, 120VAC
QPI-2D100-S2P	QPI-3D200-S2P	Y	GP577R-SC41-24V	N	Y	10.4” STN Color LCD 2MB memory, 24VDC, ULI604, CE
QPI-2D101-S2P	QPI-3D200-S2P	Y	GP577R-SC41-24V	N	Y	10.4” STN Color LCD 2MB memory, 24VDC, ULI604, CE
QPI-31200-C2P	QPI-31200-C2P	Y	GP577R-TC11	N	Y	10.4” TFT Color LCD 2MB memory, 120VAC
QPI-3D200-C2P	QPI-3D200-C2P	Y	GP577R-TC41-24VP	N	Y	10.4” TFT Color LCD 2MB memory, 24VDC, ULI604, CE
QPI-21100-C2P	QPI-CTAE-0000	Y	GP2500-TC11	Y	Y	10.4” TFT Color LCD Ethernet port, CFlash, 4MB memory, 120VAC
QPI-2D100-C2P	QPI-CTDE-0000	Y	GP2500-TC41-24V	Y	Y	10.4” TFT Color LCD Ethernet port, CFlash, 4MB memory, 24VDC, ULI604, CE
QPI-2D101-C2P	QPI-CTDE-0000	Y	GP2500-TC41-24V	Y	Y	10.4” TFT Color LCD Ethernet port, CFlash, 4MB memory, 24VDC, ULI604, CE
QPI-211V0-C2P	Not Available					

Notes: QuickDesigner Supports QuickPanel and PanelStation Products  
 GP Pro Software Supports QuickPanel, PanelStation and GP Model Products  
 ProDesigner V40 Supports GP Model Products  
 ULI604 Designates Class I Div 2 environments.



# QuickPanel Migration Guide Plus PanelStation and GP Product Cross Reference

## 9" QuickPanel Migration Guide

QuickPanel Model Number	PanelStation Model Replacement	QD 3.7 / GP-PRO C02 Supported?	GP Model Replacement	ProDesigner V40 Support?	Support?	GP Pro C02 Replacement PanelStation and GP Model Description (Older QuickPanel Model Description/Specifications may be different)
QPI-2I100-E2P	QPI-3I200-E2P	Y	GP477R-EG11	N	Y	9" Monochrome EL, 2MB memory, 120VAC
QPI-2D100-E2P	QPI-3D200-E2P	Y	GP477R-EG41-24VP	N	Y	9" Monochrome EL 2MB memory, 24VDC, ULI604, CE

## 7.4" QuickPanel Migration Guide

QuickPanel Model Number	PanelStation Model Replacement	QD 3.7 / GP-PRO C02 Supported?	GP Model Replacement	ProDesigner V40 Support?	Support?	GP Pro C02 Replacement PanelStation and GP Model Description (Older QuickPanel Model Description/Specifications may be different)
QPG-CTDE-0000	QPG-CTDE-0000	Y	GP2400-TC41-24V	Y	Y	7.4" TFT Color LCD, Ethernet port, CFlash, 4MB memory, 24VDC, ULI604, CE

## 6" QuickPanel Migration Guide

QuickPanel Model Number	PanelStation Model Replacement	QD 3.7 / GP-PRO C02 Supported?	GP Model Replacement	ProDesigner V40 Support?	Support?	GP Pro C02 Replacement PanelStation and GP Model Description (Older QuickPanel Model Description/Specifications may be different)
QPK-2D100-L2P	QPK-3D200-L2P	Y	GP377-LG41-24V	N	Y	6" Monochrome, 1MB memory, 24VDC, ULI604, CE
QPK-2D101-L2P	QPK-3D200-L2P	Y	GP377-LG41-24V	N	Y	6" Monochrome, 1MB memory, 24VDC, ULI604, CE
QPK-2D100-S2P	QPK-STDN-0000	Y	GP2301-SC41-24V	Y	Y	6" STN Color LCD, No Ethernet port, CFlash, 1MB memory, 24VDC, ULI604, CE
QPK-2D101-S2P	QPK-STDN-0000	Y	GP2301-SC41-24V	Y	Y	6" STN Color LCD, No Ethernet port, CFlash, 1MB memory, 24VDC, ULI604, CE
QPK-3D200-S2P	QPK-3D200-S2P	Y	GP377-SC41-24V	N	Y	6" STN Color LCD, 1MB memory, 24VDC, ULI604, CE
QPK-3D200-C2P	QPK-3D200-C2P	Y	GP377R-TC41-24V	N	Y	6" TFT Color LCD, 2MB memory, 24VDC, ULI604, CE
QPK-CTDE-0000	QPK-CTDE-0000	Y	GP2300-TC41-24V	Y	Y	6" TFT Color LCD, Ethernet port, CFlash, 2MB memory, 24VDC, ULI604, CE
QPM-2D100-L2P	QPM-3D200-B2P	Y	GP37W2-BG41-24V	N	Y	6" Blue Mode Low Cost LCD, 1MB memory, 24VDC, ULI950, CE

Notes: QuickDesigner Supports QuickPanel and PanelStation Products  
 GP Pro Software Supports QuickPanel, PanelStation and GP Model Products  
 ProDesigner V40 Supports GP Model Products  
 ULI604 Designates Class I Div 2 environments

## 5" QuickPanel Migration Guide

QuickPanel Model Number	PanelStation Model Replacement	QD 3.7 / GP-PRO C02 Supported?	GP Model Replacement	ProDesigner V40 Support?	Support?	GP Pro C02 Replacement PanelStation and GP Model Description (Older QuickPanel Model Description/Specifications may be different)
QPJ-2DI00-L2P	QPJ-2DI00-L2P	Y	GP270-LG31-24V	N	Y	5" Monochrome LCD, 256K memory, 1 serial port., 24VDC, UL1950
QPJ-2DI01-L2P	QPJ-2DI01-L2P	Y	GP270-LG21-24V	N	Y	5" Monochrome LCD, 256K memory, 1 serial port, 24VDC, CE
QPJ-2DI00-S2P	QPJ-2DI00-S2P	Y	GP270-SC31-24V	N	Y	5" STN Color LCD, 256K memory, 1 serial port, 24VDC, UL1950
QPJ-2DI01-S2P	QPJ-2DI01-S2P	Y	GP270-SC21-24V	N	Y	5" STN Color LCD, 256K memory, 1 serial port, 24VDC, CE

## 6" QuickPanel HandHeld Migration Guide

QuickPanel Model Number	PanelStation Model Replacement	QD 3.7 / GP-PRO C02 Supported?	GP Model Replacement	ProDesigner V40 Support?	Support?	GP Pro C02 Replacement PanelStation and GP Model Description (Older QuickPanel Model Description/Specifications may be different)
QPH-2DI00-L2P			GP230IH-LG41-24	N	Y	5" Monochrome LCD, 256K memory, 1 serial port., 24VDC, UL1950
QPH-2DI00-S2P			GP230IH-SC41-24	N	Y	5" Monochrome LCD, 256K memory, 1 serial port, 24VDC, CE

## QuickDesigner Software Migration History

- Notes: QuickDesigner Supports QuickPanel and PanelStation Products  
 GP Pro Software Supports QuickPanel, PanelStation and GP Model Products  
 ProDesigner V40 Supports GP Model Products  
 UL1604 Designates Class I Div 2 environments



QuickDesigner	PanelStation Model Numbers Supported
1.x to 2.4	Supports QPx-1xxxx-xxx models (No upload project capability)
2.2 to 3.4	Supports QPx-2xxxx-xxx models
3.32 to 3.4	Supports QPx-3xxxx-xxx models
3.6	Supports QPX-3xxxx-xxx and QPI,QPL,QPG-CtxE-0000 Models
3.7	Supports QPX-3xxxx-xxx and QPx-CtxE-0000 Models (includes QPK-CtxE-0000)



# QuickPanel Migration Guide Plus PanelStation and GP Product Cross Reference

## PanelStation Pricing Initiative Model Number Descriptions

Model Number	Description	
CQPM-2D100-L2P	6" QPM-2D100-L2P	Monochrome Low Cost LCD, 256K memory, 24VDC, ULI950, CE
CQPK-3D200-S2P	6" QPK-3D200-S2P	STN Color LCD, 1MB memory, 24VDC, ULI604, CE
CQPK-3D200-L2P	6" QPK-3D200-L2P	Monochrome, 1MB memory, 24VDC, ULI604, CE
CQPK-STDN-0000	6" QPK-STDN-0000	STN Color LCD, No Ethernet port, CFlash, 1MB memory, 24VDC, ULI604, CE
CQPG-CTDE-0000	7.4" QPG-CTDE-0000	TFT Color LCD, Ethernet port, CFlash, 4MB memory, 24VDC, ULI604, CE
CQPI-31200-C2P	10.4" QPI-31200-C2P	TFT Color LCD 2MB memory, 120VAC
CQPI-3D200-C2P	10.4" QPI-3D200-C2P	TFT Color LCD 2MB memory, 24VDC, ULI604, CE
CQPI-CTDE-0000	10.4" QPI-CTDE-0000	TFT Color LCD Ethernet port, CFlash, 4MB memory, 24VDC, ULI604, CE
ABK-3D200-S2P/SER or GABK-3D200-S2P/SE	6" QPK-3D200-S2P STN Serial 24VDC	with HMI-CAB-C52 and HMI-CAB-C83 Cables
ABK-3D200-S2P/ABD or GABK-3D200-S2P/AD	6" QPK-3D200-S2P STN w/AB DH+, 24VDC	with QPJ-ABD-201 no cables included
ABK-3D200-S2P/ABR or GABK-3D200-S2P/AR	6" QPK-3D200-S2P STN w/AB RIO, 24VDC	with QPJ-ABR-201 no cables included
ABK-3D200-S2P/DVN or GABK-3D200-S2P/DN	6" QPK-3D200-S2P STN w/AB DeviceNet, 24VDC	with QPJ-DVN-202 no cables included
ABK-STDN-0000/SER	6" QPK-STDN-0000 STN Ethernet Serial 24VDC	with HMI-CAB-C52 and HMI-CAB-C83 Cables
ABK-STDN-0000/ABD	6" QPK-STDN-0000 STN Ethernet w/AB DH+, 24VDC	with QPJ-ABD-201 no cables included
ABK-STDN-0000/ABR	6" QPK-STDN-0000 STN Ethernet w/AB RIO, 24VDC	with QPJ-ABR-201 no cables included
ABK-STDN-0000/DVN	6" QPK-STDN-0000 STN Ethernet w/AB DeviceNet, 24VDC	with PSM-CONV00, QPJ-DVN-202 no cables included
ABK-3D200-C2P/SER or GABK-3D200-C2P/SR	6" QPK-3D200-C2P TFT Serial 24VDC	with HMI-CAB-C52 and HMI-CAB-C83 Cables
ABK-3D200-C2P/ABD or GABK-3D200-C2P/AD	6" QPK-3D200-C2P TFT w/AB DH+, 24VDC	with QPJ-ABD-201 no cables included
ABK-3D200-C2P/ABR or GABK-3D200-C2P/AR	6" QPK-3D200-C2P TFT w/AB RIO, 24VDC	with QPJ-ABR-201 no cables included
ABK-3D200-C2P/DVN or GABK-3D200-C2P/DN	6" QPK-3D200-C2P TFT w/AB DeviceNet, 24VDC	with QPJ-DVN-202 no cables included
ABI-31200-C2P/SER or GABI-31200-C2P/SE	10.4" QPI-31200-C2P TFT Serial, 110VAC	with HMI-CAB-C52 and HMI-CAB-C83 Cables
ABI-31200-C2P/ABD or GABI-31200-C2P/AD	10.4" QPI-31200-C2P TFT w/AB DH+, 110VAC	with QPI-ABD-201 no cables included
ABI-31200-C2P/ABR or GABI-31200-C2P/AR	10.4" QPI-31200-C2P TFT w/AB RIO, 110VAC	with QPI-ABR-201 no cables included
ABI-31200-C2P/DVN or GABI-31200-C2P/DN	10.4" QPI-31200-C2P TFT w/DeviceNet, 110VAC	with QPI-DVN-202 no cables included
ABI-3D200-C2P/SER or GABI-3D200-C2P/SE	10.4" QPI-31200-C2P TFT Serial, 24VDC	with HMI-CAB-C52 and HMI-CAB-C83 Cables
ABI-3D200-C2P/ABD or GABI-3D200-C2P/AD	10.4" QPI-31200-C2P TFT w/AB DH+, 24VDC	with QPI-ABD-201 no cables included
ABI-3D200-C2P/ABR or GABI-3D200-C2P/AR	10.4" QPI-31200-C2P TFT w/AB RIO, 24VDC	with QPI-ABR-201 no cables included
ABI-3D200-C2P/DVN or GABI-3D200-C2P/DN	10.4" QPI-31200-C2P TFT w/DeviceNet, 24VDC	with QPI-DVN-202 no cables included
ABI-CTDE-0000/ABR	10.4" QPI-CTDE-0000 TFT w/AB RIO, 110VAC	with PSL-CONV00, QPI-ABR-201, no cables included

© 2003 Xycom Automation, Inc. is a wholly owned subsidiary of Pro-Face America, Inc. Specifications may change without notice. Xycom Automation is a trademark of Xycom Automation. Other brand or product names are the property of their respective owners. QuickPanel and QuickDesigner are products of, and Trademark by GE Fanuc Automation North America, Inc.